

Test Link 1.7

Jump Start

Copyright © 2006 TestLink Development Team

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. The license is available in "[GNU Free Documentation License](#)" homepage.

Table of Contents

Test Case numeric ID.....	1
Test Case - Active Attribute.....	1
Adding test cases	1
Removing test cases	1

Test case specification

What you see when trying to add test cases to a test plan:

Purpose:
User (with lead level permissions) to add test cases to a test plan.

To add Test cases:

1. Click on a test suite to see all the test cases in it.
2. When you are done click the Add selected Test Cases button.
3. You can also use filter according to your needs.

As you can note, the number near test project name (in this example: **toaster_x15**) is 2, but the test project has 3 test cases.

Test case TC1 is not counted, because is inactive.

Test plan

Adding test cases

ID	Test Case	Version
129	TC2	1
131	20061112-12:06:45 TC1	1

After the operation

Add/Remove Test Cases to the Test Plan **italian_bread**

[Add/Remove selected Test Cases](#)


TS1

SUB-TS1

[Check](#) [Uncheck](#) test cases in the test suite.

ID	Test Case	Version	Remove
<input type="checkbox"/> 129	TC2	1	<input type="checkbox"/>
<input checked="" type="checkbox"/> 131	20061112-12:06:45 TC1	1	<input type="checkbox"/>

[Add/Remove selected Test Cases](#)



Removing test cases

Another way to remove test case is using the menu option that allows only the remove operation. You will see:

The screenshot shows a software interface with two main panes. On the left is a 'Navigator' pane with a tree view. The tree starts with 'toaster_x5 (1)', which has a single child node 'TS1 (1)'. This node has a single child node 'SUB-TS1 (1)', which in turn has a single child node '131: 20061112-12:06:45 TC1'. The right pane is titled 'Remove tc from test plan italian_bread'. It contains a section labeled 'SUB-TS1' with instructions: 'Check [] Uncheck [] test cases in the test suite.' Below this is a table with three columns: 'ID', 'Test Case', and 'Version'. A single row is shown, corresponding to the test case in the tree: '131 20061112-12:06:45 TC1'. There is also a dropdown menu next to the 'Version' column. At the top right of the right pane is a button labeled 'Remove selected tcs'.

Tree on left pane, show only the test cases present in test plan.

Test execution history

Test Results on Build BU1

[Test plan notes](#)
[Build's notes](#)
[Bulk TC status management](#)

[Print](#) [Show only last execution](#)

[Testsuite SUB-TS1](#)

**Test Case ID 131 :: Version: 1
20061112-12:06:45 TC1**

Execution history

Date	Tested by	Status	Notes	attachments
12/11/2006 19:45:21	Testlink Administrator	Blocked		
12/11/2006 19:45:17	Testlink Administrator	Failed		
12/11/2006 19:45:13	Testlink Administrator	Pass		
12/11/2006 19:45:04	Testlink Administrator	Failed		

[Test plan notes](#)
[Build's notes](#)
[Bulk TC status management](#)

[Print](#) [Show only last execution](#)

[Testsuite SUB-TS1](#)

[Print](#) [Show full execution history](#)

[Testsuite SUB-TS1](#)

**Test Case ID 131 :: Version: 1
20061112-12:06:45 TC1**

Last execution for this build

Date	Tested by	Status	Notes	attachments
12/11/2006 19:45:21	Testlink Administrator	Blocked		

Appendices

Revision history: